Information and an abstract of Japanese Utility Model Application

No.62-31768 (Kokai No.63-141695)

Published; September 19, 1988

Application No. 62-31768

Filed; March 6, 1987

Inventor; Kazuhiko KAWAMURA Applicant; same as the inventor

Title; Fluid Purifier

Purpose: To provide a economical and well-engineered fluid purifier which will resolve problems of conventional water purifier comprised of a housing containing an integral unit of an absorbent media, filter media and membrane module such that it is very uneconomical in that such integral unit must be replaced when the membrane become clogged with dirt even though the other elements are still fully functional.

Constitution: A water to be purified flows into a distributing section 3 of a container A which is filled with an adsorbent media 4 through a flow path 1. The water_flows from the section 3 to a water collecting section 8 of the container A by passing through pores 20 of lower porous plate 19, a support plate 18, the absorbent media 4, a filter 5, pore 7 of upper porous plate 6 and then flows out of the collecting section 8 toward a distributing section 10 of a membrane container B by flowing through a communicating path 9. ----

⑩ 日本国特許庁(JP)

⑪実用新案出願公開

⑩ 公開実用新案公報(U)

昭63-141695

<pre>⑤Int Cl.⁴</pre>		識別記号	庁内整理番号	❸公開	昭和63年(198	38) 9月19日
C 02 F	1/28 1/42 1/44 1/50		G-8616-4D A-6816-4D A-8014-4D E-6816-4D			
	1/68	101	6816-4D 6816-4D	審査部	青求 未請求	(全2頁)

図考案の名称 浄化器

②実 顔 昭62-31768

❷出 願 昭62(1987)3月6日

② 考 案 者 河 村 ① 出 願 人 河 村 和彦

神奈川県横浜市磯子区磯子台8の18

和 彦 神奈川県横浜市磯子区磯子台8の18

砂実用新案登録請求の範囲

- 1 被処理液中の含有物質を除去、組成を調整し うる媒体より少なくとも一つを選択して単一の 格納容器及び/又は複数の格納容器に格納して 前段に配し、更に平均細孔度 0.2 μm以下の膜 装着体を格納した容器を配して最終段とし被処 理水を前段に供給した後該段よりの処理水を最 終段への供給水とすべく、流路をもつて前段と 最終段とを連結し、前記膜装着体格納容器の排 水経路を経て排出することを特徴とする浄化 器。
- 2 前記含有物質を除去しうる媒体が吸着媒体、 濾過媒体、殺菌、静菌、殺藻性媒体である実用 新案登録請求の範囲第1項に記載の浄化器。
- 3 前記組成を調整しうる媒体が天然鉱物、生物体起源の無機焼成物、人工的組成調整された無機性造粒物である実用新案登録請求の範囲第1項に記載の浄化器。
- 4 前記組成を調整しうる媒体が炭酸ガス、酸素

ガス、空気より少なくとも一つを選択し、膜装置体による透過処理以前において供給溶解する ものである実用新案登録請求の範囲第1項、第 2項、第3項に記載の浄化器。

図面の簡単な説明

第1図示例は本考案の実施例を示し、第2図示例は本考案に係わる膜装着体及びその格納容器の一実施例である。

A:吸着材収納容器、B:膜装着体格納容器、C:膜装着体(膜モジュール)、1:流路、2:格納容器、3:分散室、4:吸着媒体、5:フィルター、6,19:多孔板、7,20:細孔、8:集水室、9:連絡流路、10:分散路、11:膜、12:多孔性膜支持体、13:透過水流路、14:排出路、15,21:導管、16:弁、17:安全弁、18:支持体、21,22:空気排出弁、23:孔、24:集水路、25:シール材、26:ブラグ。

